

Facility Name: **Morgan Electro Ceramics**
Unit Name: **Baron Blakeslee MLR-120**
Company I.D.: **VPD-6A**

EPA Facility ID: **1318031627**

Ohio EPA I.D.: **P009**

Month: **January**

Year: **2001**

Unit Information

Tank Length (inside) **1.92** (feet)
Tank Width (inside) **1.21** (feet)
Tank Surface Area (s.a.) **2.32** (feet)²

Solvent Usage Information			Formulas / Notes
1	Type Solvent Used	Perchloroethylene	
2	S.G. of Solvent	1.62	[From MSDS]
3	Solvent Density	13.51 (lb/gallon)	[From MSDS]
4	Solvent Added	0.0 (gallon)	[From monthly log]
5	Waste Removed	0.0 (gallon)	[From monthly log]
6	% Solvent in waste	100 (%)	[From analytical report]
7	Solvent Removed in waste	0.0 (gallon)	[gal. Waste] * [% solvent]
8	Pure Solvent Removed	0.0 (gallon)	[From monthly log]
9	Total Solvent Removed	0.0 (gallon)	[7 + 8]
10	Total Solvent Emitted	0.0 (gallon)	[4 + 9]
11	Total Solvent Emitted	0.0 (lbs)	[10 * 3]
Monthly Emissions			
Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[11 / (tank surface area)]
Average Solvent Allowable Rate		30.6 (lb/month/ft ² s.a.)	From 40 CFR 63, Subpart T
Note: If ave. solvent emission rate is < 30.6 lb/month/ft ² , NO action is required. If ave. solvent emission rate is > 30.6 lb/month/ft ² , Note in quarterly exceedance report.			
Three Month Rolling Average			
3 - Month Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[Average of three previous months solvent emission rates]

Facility Name: **Morgan Electro Ceramics**
Unit Name: **Baron Blakeslee MLR-120**
Company I.D.: **VPD-6A**

EPA Facility ID: **1318031627**

Ohio EPA I.D.: **P009**

Month: **February**

Year: **2001**

Unit Information

Tank Length (inside) **1.92** (feet)
Tank Width (inside) **1.21** (feet)
Tank Surface Area (s.a.) **2.32** (feet)²

Solvent Usage Information			Formulas / Notes
1	Type Solvent Used	Perchloroethylene	
2	S.G. of Solvent	1.62	[From MSDS]
3	Solvent Density	13.51 (lb/gallon)	[From MSDS]
4	Solvent Added	0.0 (gallon)	[From monthly log]
5	Waste Removed	0.0 (gallon)	[From monthly log]
6	% Solvent in waste	100 (%)	[From analytical report]
7	Solvent Removed in waste	0.0 (gallon)	[gal. Waste] * [% solvent]
8	Pure Solvent Removed	0.0 (gallon)	[From monthly log]
9	Total Solvent Removed	0.0 (gallon)	[7 + 8]
10	Total Solvent Emitted	0.0 (gallon)	[4 + 9]
11	Total Solvent Emitted	0.0 (lbs)	[10 * 3]
Monthly Emissions			
Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[11 / (tank surface area)]
Average Solvent Allowable Rate		30.6 (lb/month/ft ² s.a.)	From 40 CFR 63, Subpart T
Note: If ave. solvent emission rate is < 30.6 lb/month/ft ² , NO action is required. If ave. solvent emission rate is > 30.6 lb/month/ft ² , Note in quarterly exceedance report.			
Three Month Rolling Average			
3 - Month Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[Average of three previous months solvent emission rates]

Facility Name: **Morgan Electro Ceramics**
Unit Name: **Baron Blakeslee MLR-120**
Company I.D.: **VPD-6A**

EPA Facility ID: **1318031627**

Ohio EPA I.D.: **P009**

Month: **March**

Year: **2001**

Unit Information

Tank Length (inside) **1.92** (feet)
Tank Width (inside) **1.21** (feet)
Tank Surface Area (s.a.) **2.32** (feet)²

Solvent Usage Information			Formulas / Notes
1	Type Solvent Used	Perchloroethylene	
2	S.G. of Solvent	1.62	[From MSDS]
3	Solvent Density	13.51 (lb/gallon)	[From MSDS]
4	Solvent Added	0.0 (gallon)	[From monthly log]
5	Waste Removed	0.0 (gallon)	[From monthly log]
6	% Solvent in waste	(%)	[From analytical report]
7	Solvent Removed in waste	0.0 (gallon)	[gal. Waste] * [% solvent]
8	Pure Solvent Removed	0.0 (gallon)	[From monthly log]
9	Total Solvent Removed	0.0 (gallon)	[7 + 8]
10	Total Solvent Emitted	0.0 (gallon)	[4 + 9]
11	Total Solvent Emitted	0.0 (lbs)	[10 * 3]
Monthly Emissions			
Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[11 / (tank surface area)]
Average Solvent Allowable Rate		30.6 (lb/month/ft ² s.a.)	From 40 CFR 63, Subpart T
Note: If ave. solvent emission rate is < 30.6 lb/month/ft ² , NO action is required. If ave. solvent emission rate is > 30.6 lb/month/ft ² , Note in quarterly exceedance report.			
Three Month Rolling Average			
3 - Month Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[Average of three previous months solvent emission rates]

Facility Name: **Morgan Electro Ceramics**
Unit Name: **Baron Blakeslee MLR-120**
Company I.D.: **VPD-64**

EPA Facility ID: **1318031627**

Ohio EPA I.D.: **P009**

Month: **April**

Year: **2001**

Unit Information

Tank Length (inside) **1.92** (feet)
Tank Width (inside) **1.21** (feet)
Tank Surface Area (s.a.) **2.32** (feet)²

Solvent Usage Information			Formulas / Notes
1	Type Solvent Used	Perchloroethylene	
2	S.G. of Solvent	1.62	[From MSDS]
3	Solvent Density	13.51 (lb/gallon)	[From MSDS]
4	Solvent Added	0.0 (gallon)	[From monthly log]
5	Waste Removed	0.0 (gallon)	[From monthly log]
6	% Solvent in waste		[From analytical report]
7	Solvent Removed in waste	0.0 (gallon)	[gal. Waste] * [% solvent]
8	Pure Solvent Removed	0.0 (gallon)	[From monthly log]
9	Total Solvent Removed	0.0 (gallon)	[7 + 8]
10	Total Solvent Emitted	0.0 (gallon)	[4 + 9]
11	Total Solvent Emitted	0.0 (lbs)	[10 * 3]
Monthly Emissions			
Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[11 / (tank surface area)]
Average Solvent Allowable Rate		30.6 (lb/month/ft ² s.a.)	From 40 CFR 63, Subpart T
Note: If ave. solvent emission rate is < 30.6 lb/month/ft ² , NO action is required. If ave. solvent emission rate is > 30.6 lb/month/ft ² , Note in quarterly exceedance report.			
Three Month Rolling Average			
3 - Month Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[Average of three previous months solvent emission rates]

Facility Name: **Morgan Electro Ceramics**
Unit Name: **Baron Blakeslee MLR-120**
Company I.D.: **VPD-6A**

EPA Facility ID: **1318031627**

Ohio EPA I.D.: **P009**

Month: **May**

Year: **2001**

Unit Information

Tank Length (inside) **3.50** (feet)
Tank Width (inside) **1.33** (feet)
Tank Surface Area (s.a.) **4.67** (feet)²

Solvent Usage Information				Formulas / Notes
1	Type Solvent Used	Perchloroethylene		
2	S.G. of Solvent	1.62		[From MSDS]
3	Solvent Density	13.51	(lb/gallon)	[From MSDS]
4	Solvent Added	0.0	(gallon)	[From monthly log]
5	Waste Removed	0.0	(gallon)	[From monthly log]
6	% Solvent in waste		(%)	[From analytical report]
7	Solvent Removed in waste	0.0	(gallon)	[gal. Waste] * [% solvent]
8	Pure Solvent Removed	0.0	(gallon)	[From monthly log]
9	Total Solvent Removed	0.0	(gallon)	[7 + 8]
10	Total Solvent Emitted	0.0	(gallon)	[4 + 9]
11	Total Solvent Emitted	0.0	(lbs)	[10 * 3]
Monthly Emissions				
Average Solvent Emission Rate				
		0.0	(lb/month/ft ² s.a.)	[11 / (tank surface area)]
Average Solvent Allowable Rate				
		30.6	(lb/month/ft ² s.a.)	From 40 CFR 63, Subpart T
Note: If ave. solvent emission rate is < 30.6 lb/month/ft ² , NO action is required.				
If ave. solvent emission rate is > 30.6 lb/month/ft ² , Note in quarterly exceedance report.				
Three Month Rolling Average				
3 - Month Average				
	Solvent Emission Rate	0.0	(lb/month/ft ² s.a.)	[Average of three previous months solvent emission rates]

Facility Name: **Morgan Electro Ceramics**
Unit Name: **Baron Blakeslee MLR-120**
Company I.D.: **VPD-6A**

EPA Facility ID: **1318031627**

Ohio EPA I.D.: **P009**

Month: **June**

Year: **2001**

Unit Information

Tank Length (inside) **3.50** (feet)
Tank Width (inside) **1.33** (feet)
Tank Surface Area (s.a.) **4.67** (feet)²

Solvent Usage Information			Formulas / Notes
1	Type Solvent Used	Perchloroethylene	
2	S.G. of Solvent	1.62	[From MSDS]
3	Solvent Density	13.51 (lb/gallon)	[From MSDS]
4	Solvent Added	0.0 (gallon)	[From monthly log]
5	Waste Removed	0.0 (gallon)	[From monthly log]
6	% Solvent in waste	(%)	[From analytical report]
7	Solvent Removed in waste	0.0 (gallon)	[gal. Waste] * [% solvent]
8	Pure Solvent Removed	0.0 (gallon)	[From monthly log]
9	Total Solvent Removed	0.0 (gallon)	[7 + 8]
10	Total Solvent Emitted	0.0 (gallon)	[4 + 9]
11	Total Solvent Emitted	0.0 (lbs)	[10 * 3]
Monthly Emissions			
Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[11 / (tank surface area)]
Average Solvent Allowable Rate		30.6 (lb/month/ft ² s.a.)	From 40 CFR 63, Subpart T
Note: If ave. solvent emission rate is < 30.6 lb/month/ft ² , NO action is required. If ave. solvent emission rate is > 30.6 lb/month/ft ² , Note in quarterly exceedance report.			
Three Month Rolling Average			
3 - Month Average Solvent Emission Rate		0.0 (lb/month/ft ² s.a.)	[Average of three previous months solvent emission rates]